



NORTH Metal and Chemical Co.

## 1. Company Identification and Product Hazard Overview:

**Product Name** : NorthQuest 8200  
**Synonyms** : Benzotriazole Granular; BZT 100%; BTA; 1H-Benzotriazole  
**Recommended Use** : Corrosion Inhibitor in water treatment programs.  
**Manufactured for** : **NORTH Metal and Chemical Company**  
P. O. Box 1985 609 E. King St.  
York, PA USA 17405 York, PA USA 17403  
Tel: 717-845-8646 Fax: 717-846-7350  
Email: north@northmetal.net Website: www.northmetal.net

**In Case of Emergency: Call CHEMTREC (24H): 1-800-424-9300**

## 2. Hazard Identification:

### GHS Classification:

Acute Toxicity - Oral (Category 4), Dermal (Category 4), Inhalation (Category 4)  
Eye Irritation (Category 2A)  
Acute Aquatic Toxicity (Category 3)  
Chronic Aquatic Toxicity (Category 3)

**Signal Word: Warning**

**Pictogram:**



### Hazard Statements:

**H302 + H312 + H332** : Harmful if swallowed, inhaled or if in contact with skin.  
**H319** : Causes serious eye irritation.  
**H402 + H412** : Harmful to aquatic life with long lasting effects.

### Precautionary Statements:

#### Prevention:

**P280** : Wear protective gloves/protective clothing such as apron, boots and safety glasses with side shields.  
**P261 + P271** : Avoid breathing dust and/or mist. Use in a well-ventilated area  
**P264** : Wash all affected body parts thoroughly after handling.  
**P270** : Do not eat, drink, or smoke when using this product.  
**P273** : Avoid release to the environment.

#### Response:

**P302 + P352** : IF ON SKIN: Wash with plenty of water.  
**P304 + P340** : IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
**P301 + P312** : IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell  
**P330** : Rinse mouth  
**P305 + P351 + P338** : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
**P337 + P313** : If eye irritation persists: Get medical advice/attention  
**P312** : Call a POISON CENTER/doctor if you feel unwell.  
**P391 + P501** : Collect Spillage. Dispose of contents/containers in accordance with local regulations

### 3. Composition/Information on Ingredient:

**Chemical Name** : Benzotriazole (Granular/Powder): 1H-Benzotriazole, BTA, Benzotriazole-1,2,3  
**Chemical Family** : Azoles.  
**Chemical Formula** : C<sub>6</sub>H<sub>5</sub>N<sub>3</sub>

| Substance:                      | CAS Number: | EC        | Compo. (%) |
|---------------------------------|-------------|-----------|------------|
| Benzotriazole (Powder/Granular) | 95-14-7     | 202-384-1 | > 99.0     |

### 4. First Aid Measures:

**General recommendation:** If victim is unconscious, get medical attention immediately. Place the unconscious victim in recovery position and maintain an open airway. Loosen tight clothing.

**Eyes** : Flush skin with running water for at least 15 minutes, periodically lifting upper and lower lids. Remove any contact lenses if safe to do so and while rinsing. Get medical attention immediately.

**Skin** : Wash skin with plenty of running water. Remove contaminated clothing. Get medical attention if needed. Clean and dry contaminated clothing thoroughly before reuse.

**Ingestion** : If the product is swallowed, call doctor/physician and get medical attention immediately. Do not induce vomiting. Never give anything by mouth to an unconscious person.

**Inhalation** : If safe to do so, remove individual from further exposure. Keep warm and at rest. If breathing has stopped give artificial respiration. Get medical attention/consult a physician.

**PPE for first responders** : Gloves, safety goggles, boots and dust/vapor respirator.

### 5. Fire Fighting Measures:

**Flash Point (°C)** : 195 °C.

**Flammable Limits** : Not available.

**Auto ignition Temp.** : 400°C

**Flammable Class** : Not available.

**Flame Propagation or Burning Rate of Solids** : Not available.

**General Hazard** : Evacuate personnel downwind in-order to avoid inhalation of irritating and/or harmful fumes and smoke.

**Extinguishing Media** : Water spray, chemical-type foam. Appropriate for the surrounding area.

**Hazardous Combustion Products** : Carbon monoxide, carbon dioxide, nitrogen oxides.

**Fire Fighting Procedures:** Hazardous decomposition and combustion products such as carbon/nitrogen oxides can be formed if product is burning. Cool exposed containers with water spray to prevent over heating.

**Fire Fighting Equipment:** Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (bunker gear) and self-contained breathing apparatus (SCBA) should be used for all indoor fires and any significant outdoor fires. Evacuate area and fight fire from safe distance or a protected location. Move fire-exposed containers, if allowable without sacrificing the safety of the firefighters. If possible, firefighters should control run-off water to prevent environmental contamination.

**Sensitivity to Static Discharge** : Not sensitive.

**Sensitivity to Mechanical Impact** : Not sensitive.

## 6. Accidental Release Measures:

### Protective Gear for Personnel:

- For Small Spill** : Safety glasses or chemical splash goggles, chemically resistant gloves (rubber/latex), chemically resistant boots, and any appropriate body protection to minimize direct contact to the skin.
- For Large Spill** : Triple gloves (rubber and nitrile over latex), chemical resistant suit, boots, hard hat, full face mask/an air purifying respirator (NIOSH approved). Self contained breathing apparatus must be worn in situations where fumigant gas generation and low oxygen levels are a consequence of contamination from the leak.

### Spill Clean-up Procedures:

- For Small Spill** : In the event of a small spill, the leak should be contained with an absorbent pad and placed in a properly labeled waste disposal container immediately. Clean the spill area with water. Do not let chemical/waste enter the environment
- For Large Spill** : In the event of a large spill, contain the spill immediately and dispose according to state, federal, and local hazardous waste regulation. Do not let chemical/waste enter the environment.

### Environmental Precaution

- : Water spill: use appropriate containment to avoid run off or release to sewer or other waterways.  
Land spill: use appropriate containment to avoid run off or release to ground.  
General precaution: remove containers of strong acid and alkali from the release area.

### Release Notes

- : If spill could potentially enter any waterway, including intermittent dry creeks, contact local authorities.

## 7. Handling and Storage:

### Handling

- : Use appropriate personal protective equipment as specified in Section 8. Handle in a well-ventilated area. Handle in a manner consistent with good industrial/manufacturing techniques and practices. Wash hands thoroughly with soap and water after use. Remove contaminated clothing and protective equipment before entering eating areas.

### Storage

- : Store in a cool, dry well-ventilated area. Keep containers closed when not in use. Keep product isolated from incompatible materials/conditions.

## 8. Exposure Controls and Personal Protection:

### Engineering Controls

- : Use appropriate engineering controls to minimize exposure to vapors generated via routine use. Maintain adequate ventilation of workplace and storage areas.

### Personal Protective Equipment

- Eyes and face:** Wear safety glasses with side shields or goggles when handling this material.  
**Skin:** Avoid direct contact with skin. Wear rubber gloves, apron, boots or whole bodysuit when handling this product.  
**Respiratory:** Avoid breathing vapor or mist. Use NIOSH approved respiratory protection equipment. If used, full face-piece replaces the need for face shield and/or chemical goggles. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application.

**Work Hygienic Practices** : Facilities storing or using this material should be equipped with emergency eyewash, and a safety shower. Good personal hygiene practices should always be followed.

### Exposure Limits:

| Substance:                      | CAS No.: | OSHA STEL | OSHA PEL | ACGIH TLV | ACGIH STEL |
|---------------------------------|----------|-----------|----------|-----------|------------|
| Benzotriazole (Granular/Powder) | 95-14-7  | N/A       | N/A      | N/A       | N/A        |

## 9. Chemical and Physical Properties:

|                                |                      |                              |                                    |
|--------------------------------|----------------------|------------------------------|------------------------------------|
| <b>Appearance</b>              | : Solid (Granules)   | <b>Decomposition Temp.</b>   | : Not available                    |
| <b>Odor</b>                    | : Characteristic     | <b>Evaporation Rate</b>      | : Not available                    |
| <b>Odor threshold</b>          | : Not available      | <b>Lower Explosive Limit</b> | : 2.4% by volume                   |
| <b>Color</b>                   | : White to Off White | <b>Upper Explosive Limit</b> | : Not available                    |
| <b>pH (1% Solution)</b>        | : 5.5 - 6.5          | <b>Vapor Pressure</b>        | : 0.04 mmHg @ 20 °C                |
| <b>Melting Point</b>           | : 96 - 99°C          | <b>Vapor Density</b>         | : 4.1                              |
| <b>Freezing Point</b>          | : Not available      | <b>Specific Gravity</b>      | : Not available                    |
| <b>Boiling Range</b>           | : 204°C @ 15 mm Hg   | <b>Solubility</b>            | : Soluble in water 2.0 wt % @ 25°C |
| <b>Flash Point</b>             | : 195°C              | <b>Partition Coefficient</b> | : Not available                    |
| <b>Viscosity (cPs) @ 25 °C</b> | : Not applicable     | <b>Auto Ignition Temp.</b>   | : 400°C                            |

## 10. Stability and Reactivity:

|   |   |
|---|---|
| <b>Stability</b>                        | : The product is stable under normal ambient conditions of temperature and pressure.                        |
| <b>Polymerization</b>                   | : Polymerization will not occur.  |
| <b>Hazardous Decomposition Products</b> | : Carbon and nitrogen oxides.   |
| <b>Incompatible Materials</b>           | : Strong alkalis, amines, nitrites, sulfites, oxidizing agents.   |
| <b>Conditions to Avoid</b>              | : Avoid exposure to extreme temperatures, contact with incompatible chemicals, prolonged exposure to light. |

## 11. Toxicological Information:

### Acute Toxicity Data:

|                             |                            |
|-----------------------------|----------------------------|
| Oral LD <sub>50</sub>       | : 560 mg/kg (rat)          |
| Dermal LD <sub>50</sub>     | : >1 gm/kg (rat)           |
| Inhalation LD <sub>50</sub> | : >1.5 mg/l (rat, 4 hours) |

### Corrosion/Irritation:

|      |  |
|------|--|
| Skin | : Not irritating (Rabbit, 4 hours)                   |
| Eyes | : Highly irritating (Rabbit, dose = 100mg, 72 hours) |

### Sensitization:

|             |                      |
|-------------|----------------------|
| Respiratory | : No data available. |
| Skin        | : No data available. |

**Carcinogenicity:** : This product is not listed on OSHA, NIOSH, IARC, or NTP as cancer-causing

**Mutagenicity** : No data available.

**Reproductive Effects** : No data available.

**Teratogenic Effects** : No data available.

**Routes of Exposure** : Eyes, Skin, Inhalation, Ingestion

### Long Term Exposure Health Effects:

|            |   |
|------------|---|
| Eyes       | : Causes serious damage to the eyes.  |
| Skin       | : Harmful if absorbed through skin, prolonged exposure is severely harmful to health. |
| Inhalation | : Toxic if inhaled, causes respiratory tract irritation.                              |
| Ingestion  | : Harmful if ingested, prolonged exposure is severely harmful to health.              |

**RTECS: DM1225000**

## 12. Ecological Information:

All work practices must be aimed at eliminating environmental contamination.

- Biodegradability** : Readily biodegradable
- Bioaccumulative Potential** : Log  $K_{ow}$ : 1.44
- Terrestrial Ecotoxicity** : This material may be harmful or fatal to contaminated plants or animals, especially if large volumes are released into the environments.
- Aquatic Ecotoxicity (Acute)**
- Fish Toxicity** : *Salmo gairdneri* (fish, freshwater, estuary)  $EC_{50}$  (96h) - 24.4 mg/L
  - Aquatic Invertebrates**: *Daphnia magna* (Crustacea)  $EC_{50}$  (48h) - 91 mg/L
  - Aquatic Plants** : *Selenastrum capricornutum* (Algae)  $EC_{50}$  (72 h) - 231 mg/L
- Mobility in Soil** : Expected to have high mobility in soil
- Other Adverse Effects** : No data available.

## 13. Disposal Considerations:

- Disposal Method** : Dispose of waste at an appropriate waste disposal facility according to current applicable laws and regulations.
- For Large Spills** : Contain material and call local authorities for emergency assistance.
- Product Disposal** : Dispose of at a supervised incineration facility or an appropriate waste disposal facility according to current applicable local, state and federal laws, regulations and product characteristics at time of disposal.
- Empty Container** : Contaminated container should be labeled and disposed in accordance to local, state and federal laws and regulations.
- General Comments** : Refer to section 6, accidental release measures for additional information.

## 14. Transport Information:

| Regulatory Information | UN No. | Proper Shipping Name | UN Class | Packing Group | Label |
|------------------------|--------|----------------------|----------|---------------|-------|
| US DOT                 | -      | NOT DOT REGULATED    | -        | -             | -     |

## 15. Regulatory Information:

### U.S. Federal Regulations:

**TSCA:** All components of this product are listed on the TSCA inventory.

**CERCLA:** Not listed

**SARA TITLE III (EPCRA) Section 302/304:** No components of this product were found to be on the hazardous chemicals list.

**SARA TITLE III (EPCRA) Section 311/312:** Acute health hazard.

**OSHA:** Not listed

**California Proposition 65:** Not listed

## 16. Other Information:

### HMIS and NFPA Rating Scale:

#### HMIS: Hazardous Materials Identification System

##### Numeric Scale for Health (Blue), Flammability (Red), and Physical Hazard (Yellow):

##### HMIS Rating:\*

|                     |   |
|---------------------|---|
| HEALTH              | 2 |
| FLAMMABILITY        | 1 |
| PHYSICAL HAZARD     | 0 |
| PERSONAL PROTECTION | J |

| RATING | HEALTH   | FIRE HAZARD                           | PHYSICAL HAZARD  |
|--------|--|---------------------------------------|--|
| 0      | No significant risk to health                    | Will not burn                         | Product stable under ambient temperature and condition.  |
| 1      | Can cause irritation or minor reversible injury. | Must be preheated to burn             | Product can become unstable at high temperatures and pressures.  |
| 2      | Can cause temporary or residual injury           | Ignites when moderately heated        | Product can become unstable and cause violent chemical reaction at normal pressures and temperatures   |
| 3      | Can cause serious injury                         | Ignition occurs at normal temperature | Product capable of forming explosive mixtures and is capable of detonation in presence of strong initiating source.                              |
| 4      | Can be lethal from single or repeated exposure.  | Extremely flammable                   | Product is highly explosive and unstable. Exothermic reactions possible with decomposition, polymerization, reaction with water or self reaction |


**Personal Protection Code J: Gloves + Safety Goggles + Chemical Apron + Dust and Vapor Respirator**

#### NFPA: National Fire Protection Association

##### Numeric Scale for Health (Blue), Fire Hazard (Red), and Reactivity (Yellow):

Special (White): None

##### NFPA Rating:\*



| RATING | HEALTH  | FIRE HAZARD                           | REACTIVITY  |
|--------|---|---------------------------------------|---|
| 0      | Minimal Hazard  | Will not burn                         | Normally Stable   |
| 1      | Can cause significant irritation                      | Must be preheated to burn             | Unstable at high temperatures   |
| 2      | Can cause temporary incapacitation or residual injury | Ignites when moderately heated        | Normally unstable. Can readily go under violent chemical reaction but do not detonate.  |
| 3      | Can cause permanent injury.                           | Ignition occurs at normal temperature | Capable of detonation, or of explosive reaction, but requires a strong ignition source. |
| 4      | Can be lethal.  | Extremely flammable                   | May explode at normal temperatures and pressures  |

**Revision Date: March 23, 2022**

**Reason for Revision: Updated logo and contact information. Reviewed for accuracy.**

The information contained in this SDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, they are not held responsible for loss, injury, and expense arising out of the product's use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this MSDS.