Diethylhydroxylamine Safety Data Sheet



NORTH Metal and Chemical Co.

1. Company Identification and Product Hazard Overview:			
Product Name	: Diethylhydroxylamine		
Synonyms	: DEHA, 85% Solution		
Recommended Use	: Used as an oxygen scavenger in boiler systems; a resin remover and bleach for timber; a anti-discolorant for phenolic compounds; and, as a hardener for silicone rubber and sealants.		
Manufactured for	: NORTH Metal and Chemical Com P. O. Box 1985 York, PA USA 17405 Tel: 717-845-8646 Email: north@northmetal.net	609 E. King St. York, PA USA 17403 Fax: 717-846-7350 Website: www.northmetal.net	

In Case of Emergency: Call CHEMTREC (24H): 1-800-424-9300

2. Hazard Identification:

GHS Classification:

Flammable Liquids (Category 3) Acute Toxicity, Inhalation (Category 4) Acute Toxicity, Dermal (Category 4) Skin Irritation (Category 2) Eye Irritation (Category 2A)

Signal Word: WARNING

Pictograms: Flammable, Acute Toxicity



Hazard Statements:

H226	: Flammable liquid and vapor
H312 + H332	: Harmful if in contact with skin or inhaled
H315	: Causes skin irritation
H319	: Causes serious eye irritation

Precautionary	Statements:
Prevention:	

: Keep away from heat/sparks/open flames/hot surfaces - No smoking
: Keep container tightly closed
: Ground/Bond container and receiving equipment
: Use explosion-proof electrical/ventilating/lighting equipment
: Use only non-sparking tools

2. Hazard Identification:

Precautionary Statements:			
P243	: Take precautionary measures against static discharge		
P261	: Avoid breathing dust/fume/gas/mist/vapors/spray		
P264	: Wash contact area thoroughly after handling		
P271	: Use only outdoors or in a well-ventilated area		
P280	: Wear protective gloves/protective clothing/eye protection/face protection.		
P281	: Use personal protective equipment as required		
P303 + P361 +P353	: IF ON SKIN or hair: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower		
P333 + P313	: IF skin irritation or rash occurs: Get medical advice/attention.		
P305 + P351 + P338	: IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P312	: Call a POISON CENTER or doctor/physician if you feel unwell		
P301 + P330 + P331	: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting		
P304 + P340	: IF INHALED: Remove person to fresh air and keep in position comfortable for breathing		
P332 + P313	: If skin irritation occurs: Get medical advice/attention		
P337 + P313	: If eye irritation persists: Get medical advice/attention		
P362	: Take off all contaminated clothing and wash before resuse		
P370 + P378	: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.		
P403 + P235	: Store in a well-ventilated place. Keep cool.		
P501	: Dispose of contents/container in accordance with local/state/federal regulations.		

3. Composition/Information on Ingredient:

Chemical Name	: Diethylhydroxylamine
Chemical Family	: Amines
Chemical Formula	: C ₄ H ₁₁ NO

Substance:	CAS Number:	EC	Compo. (%)
Diethylhydroxylamine	3710-84-7	223-055-4	85%
Water	7732-18-5		15%



4. First Aid Measures: **General Advice:** : Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. Eyes : Flush skin with running water for at least fifteen minutes. Remove any contact lenses. Get medical aid/ attention immediately. Continue to rinse eyes during transport to the hospital. Skin : Remove contaminated clothing. Wash skin with plenty of running water and soap. Take victim immediately to the hospital. Consult a physician. Ingestion : If the product is swallowed, first rinse mouth. Give small amount of water to drink. Call doctor/ physician/poison center immediately. Do not induce vomiting. Never give anything by mouth to an unconscious person. If a person vomits, place him/her in recovery position so the vomit does not enter lungs. Inhalation : If safe to do so, remove individual from further exposure. Keep warm and at rest. If breathing has ceased, give artificial respiration. Do not give mouth to mouth resuscitation. Get medical attention/ consult a physician immediately. Note to Physician : Treat symptomatically. PPE for first responders : Gloves and safety goggles are highly recommended.

Flash Point (°C)	: 45 °C (113 °F) - closed cup	
Flammable Limits	: Upper explosion limit: 10% (V); Lower explosion limit: 1.9% (V)	
Auto ignition Temp.	: Not available.	
Flammable Class	: Not available.	
General Hazard	: Evacuate personnel downwind in-order to avoid inhalation of irritating and/or harmful fumes and smoke.	
Extinguishing Media	: For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.	
Special hazards arising from the substance	: Carbon oxides, Nitrogen Oxides (NOx)	
Fire Fighting Procedures: Hazardous decomposition and combustion products such as carbon/nitrogen oxides can be formed if product is burning. Cool exposed containers with water spray to prevent over heating.		
Fire Fighting Equipmen	It :Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (bunker gear) and self-contained breathing apparatus (SCBA) should be used for all indoor fires and any significant outdoor fires. Evacuate area and fight fire from safe distance or a protected location. Move fire-exposed containers, if allowable without sacrificing the safety of the firefighters. If possible, firefighters should control run-off water to prevent environmental contamination.	

6. Accidental Releas	se Measures:
Protective Gear for	
Personnel	: Wear respiratory protection. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Environmental	
Precaution	: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
Methods and materials for containment and	
cleaning up	: Contain spillage, and then collect with an electronically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.
Release Notes	: If spill could potentially enter any waterway, including intermittent dry creeks, contact local authorities.





5. Fire Fighting Measures:

7. Handling and Storage:		
Handling	: Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition. No smoking. Take measures to prevent the build up of electrostatic charge.	
Storage	: Store in a cool, dry well-ventilated area. Keep containers closed and up right when not in use. Keep product isolated from incompatible materials/conditions	
8. Exposure Contro	ols and Personal Protection:	
Engineering Controls	: Use appropriate engineering controls to avoid contact with skin, eyes, and clothing. Wash hands before breaks and immediately after handling the product.	
Personal Protective Equipment:	Eyes and face: Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH.	
	Skin: Avoid direct contact with skin. Wear rubber gloves, apron, boots or whole bodysuit when handling this product. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of any contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.	
	Body Protection: Complete suit protecting against chemicals; flame retardant anti-static protective clothing. The type of protective equipment must be selected according to the concentration and amount of dangerous substance at the specific work place.	
	Respiratory: Where risk assessment shows air-purifying respirators are appropriate, use full-face respirator with multi-purpose combination respirator cartridges as a back up to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH.	
Work Hygienic Practic	es: Facilities storing or using this material should be equipped with emergency eyewash, and a safety shower. Good personal hygiene practices should always be followed.	
Control of Environmen	ital	

Control of Exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. Chemical and Physical Properties:

Appearance	: Liquid	Lower Explosive Limit	: 1.9% (V)
Odor	: Not available	Upper Explosive Limit	: 10% (V)
Odor threshold	: Not available	Vapor Pressure	: 133 hPa (100 mmHg) @ 81.5°C
Color	: Light yellow	Vapor Density	: 3.08 - (Air = 1.0)
pH (1% Solution)	: 9.5 - 11.0	Relative Density	: 0.902 g/cm ³ @ 25°C
Melting Point	:>-25°C (-13°F)	Solubility	: 35% @ 20°C
Freezing Point	:<-25°C	·	Č
Boiling Range	: 125 –130 °C (257-266°F)	Partition coefficient (n-octanol/water)	: log POW: 0.43
Flash Point	: 46°C (114.8°F) - closed cup		
Viscosity @ 20 °C	: Not available	Auto Ignition Temp.	: Not available
Decomposition Temp. Evaporation Rate	: Not available : Not available	Molecular Weight	: 89.14 g/mol



10. Stability and Reactivity:

Stability: The product is stable under recommended storage conditions.Possibility of
Hazardous Reactions: No data availableHazardous
Decomposition Products: No data availableIncompatible Materials: Strong oxidizing agents, Strong acids. Do not store near acids.Conditions to Avoid: Heat, flames, sparks

11. Toxicological Information:

Acute Toxicity Data:

LD50 Oral - Rat - 2,190 mg/kg LC50 Inhalation - Rat - 4h - 3140 ppm LD50 Dermal - Rabbit - 1,300 mg/kg

Skin corrosion/irritation: Skin - Rabbit Result: Mild skin irritation Skin - Rabbit Result: Skin irritation - 24h

Serious eye damage/eye irritation: No data available

Respiratory or skin sensitization: No data available

Germ cell mutagenicity: Human Leukocyte Unscheduled DNA synthesis Rat - Dominant lethal test

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed human carcinogen by IARC

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed human carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed human carcinogen by OSHA.

11. Toxicological Information:

Reproductive Toxicity

No data available Rat - Parenteral - Effects on fertility: Pre-implantation mortality (e.g. reduction in number of implants per female; total number of implants per corpora lutea) Rat - Parenteral - Effects on fertility: Post-implantation mortality (e.g. dean and/or resorbed implants per total number of implants) No data available

Specific target organ toxicity - single exposure:

No data available

Specific target organ toxicity - repeated exposure: No data available

Aspiration Hazard: No data available

Additional Information:

RTECS: NC3500000 Incoordination,. Mydriasis., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly been investigated.



DEHA

12. Ecological Information:

All work practices must be aimed at eliminating environmental contamination.

Toxicity	
Toxicity to fish:	No data available
Toxicity to daphnia and other aquatic Invertebrates:	EC50 - Daphnia magna (Water flea) - 110.5 mg/l - 48h
Toxicity to algae:	No data available
Biodegradability:	Result: 17% - not readily biodegradable
Bioaccumulative Potential:	No data available
Mobility in soil:	No data available
Results of PBT and vPvB assessment:	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
Other Adverse effects:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

13. Disposal Considerations:

Disposal Method	: Dispose of waste at an appropriate waste disposal facility according to current applicable laws and regulations.
For Large Spills	: Contain material and call local authorities for emergency assistance.
Product Disposal	: Dispose of at a supervised incineration facility or an appropriate waste disposal facility according to current applicable local, state and federal laws, regulations and product characteristics at time of disposal.
Empty Container	: Contaminated container should be labeled and disposed in accordance to local, state and federal laws and regulations.
General Comments	: Refer to section 6, accidental release measures for additional information.

14. Transport Information:

Regulatory Information	UN No.	Proper Shipping Name	UN Class	Packing Group	Labels
US DOT	1993	Flammable Liquid, N.O.S. (Diethylhydroxylamine)	3	III	Flammable Sticker
IMDG	1993	Flammable Liquid, N.O.S. (Diethylhydroxylamine))	3	III	Flammable Sticker
ΙΑΤΑ	1993	Flammable Liquid, N.O.S. (Diethylhydroxylamine)	3	III	Flammable Sticker



15. Regulatory Information:

U.S. Federal Regulations:

SARA 302 Components: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313

SARA 311/312: Fire Hazard, Acute Health Hazard,

Massachusetts Right to know Components: No components are subject to the Massachusetts Right to Know Act

Pennsylvania Right to know Components: Diethylhydroxylamine CAS No. 3710-84-7

New Jersey Right to know Components: Diethylhydroxylamine CAS No. 3710-84-7

California Proposition 65 Components: This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

WHMIS Canada: B3 Combustible Liquid; D2B Toxic Materials

OSHA Hazcom Standard Rating: This material is classified as Hazardous under Federal OSHA regulation Combustible liquid irritant.

CERCLA: This product has the following CERCLA/SARA TPQ and RQ: DEHA contains a small impurity of < 1% Diethylamine which has an RQ of 100lbs.

US Toxic Substances Control Act: Listed on the TSCA inventory

16. Other Information:

HMIS: Hazardous Materials Identification System

Numeric Scale for Health (Blue), Flammability (Red), and Physical Hazard (Yellow):

HMIS Rating:*	RATING	HEALTH	FIRE HAZARD	PHYSICAL HAZARD
HEALTH 2 FLAMMABILITY 2	0	No significant risk to health	Will not burn	Product stable under ambient temperature and condition.
PHYSICAL HAZARD0PERSONAL PROTECTIONC	1	Can cause irritation or minor reversible injury.	Must be preheated to burn	Product can become unstable at high temperatures and pressures.
	2	Can cause temporary or residual injury	Ignites when moderately heated	Product can become unstable and cause violent chemical reaction at normal pressures and tempera- tures
	3	Can cause serious injury	Ignition occurs at normal temperature	Product capable of forming explosive mixtures and is capable of detonation in presence of strong initi-
	4	Can be lethal from single or repeated exposure.	Extremely flammable	Product is highly explosive and unstable. Exothermic reactions possible with decomposition, polymeriza- tion, reaction with water or self reaction

Personal Protection Code C: Gloves + Safety Goggles + Chemical Apron



16. Other Information, continued:

NFPA: National Fire Protection Association

<u>Numeric Scale for Health (Blue), Fire Hazard (Red), and Reactivity (Yellow):</u> Special (White)

	RATING	HEALTH	FIRE HAZARD	REACTIVITY
NFPA Rating:*	0	Minimal Hazard	Will not burn	Normally Stable
	1	Can cause significant irritation	Must be preheated to burn	Unstable at high temperatures
	2	Can cause temporary incapacitation or residual injury	Ignites when moderately heated	Normally unstable. Can readily go under violent chemical reaction but do not detonate.
	3	Can cause permanent injury.	Ignition occurs at normal temperature	Capable of detonation, or of explosive reaction, but requires a strong ignition source.
	4	Can be lethal.	Extremely flammable	May explode at normal temperatures and pres- sures

Revision Date: March 23, 2022 Reason for Revision: Updated logo and contact information. Reviewed for accuracy.

The information contained in this SDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, they are not held responsible for loss, injury, and expense arising out of the product's use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this MSDS.

