



North Metal and Chemical Company

1. Company Identification and Product Hazard Overview:

Product Name : NorthQuest 3540; Maleic Copolymer
Recommended Use : Scale deposit control and dispersing agent for use in industrial water treatment programs.
Manufactured for : NORTH Metal and Chemical Company
P. O. Box 1985 609 E. King St.
York, PA USA 17405 York, PA USA 17403
Tel: 717-845-8646 Fax: 717-846-7350
Email: north@northmetal.net Website: www.northmetal.net

In Case of Emergency: Call CHEMTREC (24H): 1-800-424-9300

2. Hazard Identification:

GHS Classification:

Acute Toxicity, Oral (Category 5)
Acute Toxicity, Inhalation (Category 5)
Acute Toxicity, Dermal (Category 5)
Eye Irritation (Category 2B)

Signal Word: Acute Toxicity

Pictogram: WARNING



Hazard Statements:

H303 : May be harmful if swallowed
H313 : May be harmful in contact with skin
H320 : Causes eye irritation
H333 : May be harmful if inhaled

Precautionary Statements:

P264 : Wash contact area thoroughly after handling
P280 : Wear protective gloves/protective clothing/eye protection/face protection.
P303 + P361 + P353 : IF ON SKIN or hair: Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower
P305 + P351 + P338 : IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 : If eye irritation persists: Get medical advice/attention
P301 + P330 + P331 : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P304 + P340 + P310 : IF INHALED: Remove person to fresh air and keep in position comfortable for breathing
P312 : Call a POISON CENTER or doctor/physician if feeling unwell
P403 + P235 : Store in a well-ventilated place. Keep cool.
P273 + P405 : Avoid release to the environment. Store Locked Up.
P501 : Dispose of contents/container in accordance with local/state/federal regulations.

3. Composition/Information on Ingredient:

Chemical Name : NorthQuest 3540: Maleic Copolymer, [2-Propenoic acid, polymer with 2,5 furandione, sodium salt]
Chemical Family : Maleic based Copolymer.
Chemical Formula/ Structure : N/A

Substance:	CAS Number:	Hazard	Compo. (%)
2-Propenoic acid, polymer with 2,5 furandione, sodium salt	52255-49-9	Acute Toxicity (Cat5) Eye Irritation (Cat2B)	Proprietary
Water	7732-18-5	—	Proprietary

4. First Aid Measures:

Eyes : Flush immediately with plenty of water for at least 15 minutes; periodically lifting upper and lower eye lids. Remove contact lenses if worn. Get medical attention if irritation persists.
Skin : Remove contaminated clothing. Flush skin with running water for fifteen minutes. If irritation persists, get medical aid.
Ingestion : If the product is swallowed, call doctor/physician/poison center. Rinse mouth with large quantities of water. Never give anything by mouth to an unconscious person.
Inhalation : If safe to do so, remove individual from further exposure. Keep warm and at rest. If cough or other symptoms develop, call doctor/poison center immediately.
PPE for first responders : Gloves and safety goggles are highly recommended.

5. Fire Fighting Measures:

Extinguishing Media : Water spray, fog or mist, chemical-type foam, carbon dioxide, or dry powder. **Do not use a high power water jet.**
Hazardous Combustion Products : Carbon monoxide and carbon dioxide.
Unusual Fire or Explosion Hazards : Material can splatter at 100°C/212°F. Cool exposed containers with water spray to prevent over heating. Dry residue of the product may also burn.
Special PPE/Precautions : Wear self-contained breathing apparatus and fully protective suit. Evacuate area and fight fire from a safe distance or a protected location. If possible and without risk, firefighters should control run-off water to prevent environmental contamination.
Sensitivity to Static Discharge : Not sensitive.
Sensitivity to Mechanical Impact : Not sensitive.

6. Accidental Release Measures:

Protective Gear for Personnel:

For Small Spill : Safety glasses or chemical splash goggles, chemically resistant gloves (rubber/latex), chemically resistant boots, and any appropriate body protection to minimize direct contact to the skin.
For Large Spill : Triple gloves (rubber and nitrile over latex), chemical resistant suit, boots, hard hat, full face mask/air purifying respirator (NIOSH approved). Self contained breathing apparatus must be worn in situations where fumigant gas generation and low oxygen levels are a consequence of contamination from the leak.

6. Accidental Release Measures continued:

Spill Clean-up

Procedures:

For Small Spill : In the event of a small spill, the leak should be contained with an absorbent pad and placed in a properly labeled waste disposal container immediately. Clean the spill area with water. Do not let chemical/spill waste enter the environment.

For Large Spill : In the event of a large spill, contain the spill immediately and dispose according to state, federal, and local hazardous waste regulation. Do not let chemic/spill waste enter the environment.

Environmental

Precaution

: Water spill: use appropriate containment to avoid run off or release to sewer or other waterways.
Land spill: use appropriate containment to avoid run off or release to ground.
General precaution: remove containers of strong acid and alkali from the release area.

Release Notes

: If spill could potentially enter any waterway, including intermittent dry creeks, contact local authorities.

7. Handling and Storage:

Handling: Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Do not inhale vapor or mist. Use with adequate ventilation. For industrial use only! Keep away from sources of ignition. Wash hands thoroughly with soap and water after use. Remove contaminated clothing and protective equipment before entering eating areas.

Storage Requirements:

Store in closed containers away from temperature extremes and incompatible materials.

Store in a cool, dry and well ventilated area. Keep containers tightly closed, and properly labeled. Store in accordance with all local, state and federal guidelines Suitable materials for storage: Low density polyethylene (LDPE), glass, high density polyethylene (HDPE)

Store away from oxidizing agents and alkalis.

Protect from temperatures above: 65 C

Empty container retain vapor and product residue. Observe all recommended safety precautions until container is cleaned, reconditioned or destroyed.

8. Exposure Controls and Personal Protection:

Engineering Controls : Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Personal Protective Equipment

: **Eyes and face:** Wear safety glasses with side shields or goggles when handling this material.

Skin: Avoid direct contact with skin. Wear rubber gloves, apron, boots or whole bodysuit when handling this product.

Respiratory: Avoid breathing vapor or mist. Use NIOSH approved respiratory protection equipment when air borne exposure is excessive. If used, full face-piece replaces the need for face shield and/or chemical goggles. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application.

Work Hygienic Practices: Facilities storing or using this material should be equipped with emergency eyewash, and a safety shower. Good personal hygiene practices should always be followed.

Exposure Limits:

Substance:	CAS No.:	OSHA STEL	OSHA PEL	ACGIH TLV	ACGIH STEL
Maleic Copolymer	52255-49-9	N/A	N/A	N/A	N/A

9. Chemical and Physical Properties:

Appearance	: Yellowish, transparent liquid	Decomposition Temp.	: Not available
Odor	: Characteristic	Evaporation Rate	: Not available
Odor threshold	: Not available	Flammability	: Not flammable
Color	: Pale yellow to yellow Liquid	Upper Explosive Limit	: Not available
pH (1% Solution)	: 7.5 - 10.0	Vapor Pressure	: 3.2 kPa @ 25°C (Water)
Melting Point	: > -5°C	Vapor Density	: Not available
Freezing Point	: < -5°C	Specific Gravity	: 1.250 - 1.350
Boiling Range	: 100°C - 102°C	Solubility	: Soluble in water
Flash Point	: > 100°C	Partition Coefficient	: Not available
Viscosity (cPs) @ 25°C	: 3000 max	Auto Ignition Temp.	: > 200°C
Molecular Weight	: 40,000 average		

10. Stability and Reactivity:

Stability	: The product is stable under normal ambient conditions of temperature and pressure. Protect from freezing
Polymerization	: Will not occur
Hazardous Decomposition Products	: Carbon monoxide and carbon dioxide.
Incompatible Materials	: Strong alkalis, amines, nitrites, sulfites, reducing agents, oxidizing and reducing agents.
Conditions to Avoid	: Avoid exposure to extreme temperatures, contact with incompatible chemicals, uncontrolled contact with accelerants.

11. Toxicological Information:

Acute Toxicity Data:

Oral LD ₅₀	: > 5,000 mg/kg
Dermal LD ₅₀	: No data available
Inhalation LD ₅₀	: No data available

Corrosion/Irritation:

Skin	: No data available
Eyes	: No data available

Sensitization:

Respiratory	: No data available
Skin	: No data available

Carcinogenicity : No data available

Mutagenicity : No data available.

Reproductive Effects : No data available.

Teratogenic Effects : No data available.

Routes of Exposure : Ingestion, Inhalation

Long Term Exposure Health Effects:

Eyes	: No data available
Skin	: No data available
Inhalation	: No data available
Ingestion	: No data available

12. Ecological Information:

All work practices must be aimed at eliminating environmental contamination. Do not allow undiluted product or large quantities to enter ground water or sewage systems. Release of large amounts of this product into aquatic environments may lead to a decrease in pH, which can be harmful to aquatic organisms.

Biodegradability : This product can be virtually eliminated from water by abiotic processes e.g. absorption onto activated sludge

Bioaccumulative Potential : No data available.

Terrestrial Ecotoxicity : This material may be harmful or fatal to contaminated plants or animals, especially if large volumes are released into the environments.

Aquatic Ecotoxicity : LC₅₀ Leuciscus 96h >100 mg/L

Aquatic Invertebrates : :EC₅₀ Daphnia Magna 48h >500 mg/L

Mobility in Soil : Absorption to solid soil is possible.

Other Adverse Effects : No data available.

13. Disposal Considerations:

Disposal Method : Dispose of waste at an appropriate waste disposal facility according to current applicable laws and regulations.

For Large Spills : Contain material and call local authorities for emergency assistance.

Product Disposal : Dispose of at a supervised incineration facility or an appropriate waste disposal facility according to current applicable local, state and federal laws, regulations and product characteristics at time of disposal.

Empty Container : Contaminated container should be labeled and disposed in accordance to local, state and federal laws and regulations.

General Comments : Refer to section 6, accidental release measures for additional information.

14. Transport Information:

Regulatory Information	UN No.	Proper Shipping Name	UN Class	Packing Group	Label
US DOT	None	Not Regulated	None		None
IMDG	None	Not Regulated	None		None
IATA	None	Not Regulated	None		None

15. Regulatory Information:

U.S. Federal Regulations:

TSCA: All components of this product are listed on the TSCA inventory.

CERCLA: This product does not contain any CERCLA-listed hazardous substances.

SARA TITLE III (EPCRA) Section 302/304: No components of this product were found to be on the hazardous chemicals list.

SARA TITLE III (EPCRA) Section 311/312: Acute health hazard.

16. Other Information:

HMIS and NFPA Rating Scale:

HMIS: Hazardous Materials Identification System

Numeric Scale for Health (Blue), Flammability (Red), and Physical Hazard (Yellow):

HMIS Rating:

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B

RATING	HEALTH	FIRE HAZARD	PHYSICAL HAZARD
0	No significant risk to health	Will not burn	Product stable under ambient temperature and condition.
1	Can cause irritation or minor reversible injury.	Must be preheated to burn	Product can become unstable at high temperatures and pressures.
2	Can cause temporary or residual injury	Ignites when moderately heated	Product can become unstable and cause violent chemical reaction at normal pressures and temperatures
3	Can cause serious injury	Ignition occurs at normal temperature	Product capable of forming explosive mixtures and is capable of detonation in presence of strong initiating source.
4	Can be lethal from single or repeated exposure.	Extremely flammable	Product is highly explosive and unstable. Exothermic reactions possible with decomposition, polymerization, reaction with water or self reaction


Personal Protection Code C: Gloves + Safety Goggles

NFPA: National Fire Protection Association

Numeric Scale for Health (Blue), Fire Hazard (Red), and Reactivity (Yellow):

Special (White): None

NFPA Rating:*



RATING	HEALTH	FIRE HAZARD	REACTIVITY
0	Minimal Hazard	Will not burn	Normally Stable
1	Can cause significant irritation	Must be preheated to burn	Unstable at high temperatures
2	Can cause temporary incapacitation or residual injury	Ignites when moderately heated	Normally unstable. Can readily go under violent chemical reaction but do not detonate.
3	Can cause permanent injury.	Ignition occurs at normal temperature	Capable of detonation, or of explosive reaction, but requires a strong ignition source.
4	Can be lethal.	Extremely flammable	May explode at normal temperatures and pressures

Revision Date: June 2, 2022

Reason for Revision: Updated logo and contact information. Reviewed for accuracy.

The information contained in this document (SDS) was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, they are not held responsible for loss, injury, and expense arising out of the product's use. No warranty, expressed or inferred, regarding the product described in this document (SDS) shall be created or inferred by any statement in this document.