



North Metal and Chemical Company

1. Company Identification and Product Hazard Overview:

Product Name : NorthQuest 780; Acrylic/Sulfonic Terpolymer
Recommended Use : Scale inhibitor and dispersant for use in industrial water treatment.
Manufactured for : : **NORTH Metal and Chemical Company**
P. O. Box 1985 609 E. King St.
York, PA USA 17405 York, PA USA 17403
Tel: 717-845-8646 Fax: 717-846-7350
Email: north@northmetal.net Website: www.northmetal.net

In Case of Emergency Call CHEMTREC (24 Hours): 1-800-424-9300

2. Hazard Identification:

GHS Classification:

Acute Toxicity, Dermal (Category 5)

Serious Eye Damage (Category 2B)

Acute Toxicity, Oral (Category 5)

Acute Toxicity, Inhalation (Category 5)

Signal Word: Warning

Pictogram: Acute Toxicity



Hazard Statements:

H313 : May be harmful in contact with skin
H320 : Causes eye irritation.
H303 : May be harmful if swallowed
H333 : May be harmful is inhaled

Precautionary Statements:

P264 : Wash all affected body parts thoroughly after handling.
P260 : Do not breathe fume/gas/mist/vapors/spray
P280 : Wear protective rubber gloves/apron/goggles with side shields/face protection.
P302 + P352 + P362 : IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse
P305 + P351 + P338 : IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P337 + P313 : If eye or skin irritation persists, get medical attention.
P301 + P330 + P331 : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P304 + P340 + P310 : IF INHALED: Remove person to fresh air and keep in position comfortable for breathing
P312 : Call a POISON CENTER or doctor/physician if feeling unwell
P403 + P235 : Store in a well-ventilated place. Keep cool.
P273 + P405 : Avoid release to the environment. Store Locked Up.
P501 : Dispose of contents/container in accordance with local/state/federal regulations.

3. Composition/Information on Ingredient:

Chemical Name : NorthQuest 780; Acrylic/Sulfonic Terpolymer
Chemical Family : Acrylic polymers
Chemical Formula/Structure : N/A

Substance:	CAS Number:	Hazard	Compo. (%)
Poly (acrylic-co-AMPSA); Acrylic Polymer	40623-75-4	See section 2	42 - 46%
Water	7732-18-5		54 - 58%

4. First Aid Measures:

Eyes : Flush eyes with running water for at least fifteen minutes. Remove any contact lenses. If irritation persists, get medical aid.

Skin : Remove contaminated clothing. Flush skin with running water and soap for fifteen minutes. If irritation persists, get medical aid.

Ingestion : If the product is swallowed, rinse mouth with large quantities of water. Do not induce vomiting. Call doctor/physician/poison center immediately. Never give anything by mouth to an unconscious person.

Inhalation : If safe to do so, remove individual from further exposure. Keep warm and at rest. If cough or other symptoms develop, call doctor/poison center immediately.

PPE for first responders : Gloves and safety goggles are highly recommended.

5. Fire Fighting Measures:

Flash Point (°C) : No data available.

Flammable Limits : Not applicable.

Autoignition Temp. : Not applicable.

Flammable Class : Not applicable.

Flame Propagation or Burning Rate of Solids : Not available.

General Hazard : Evacuate personnel downwind in-order to avoid inhalation of irritating and/or harmful fumes and smoke.

Extinguishing Media : Water spray, alcohol resistant foam, dry chemical or carbon dioxide. Use extinguishing media suitable for surrounding fire.

Hazardous Combustion Products : Carbon Oxides, Nitrogen oxides, Sulfur Oxides, Phosphorous Oxides, and other hazardous compounds. Thermal decomposition (>230°C) may yield acrylic monomers.

Fire Fighting Procedures: This product is a non-flammable substance. However, material can splatter above 100C/212F. Cool exposed containers with water spray to prevent over heating. Dry residue of the product may also burn.

Fire Fighting Equipment: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (bunker gear) and self-contained breathing apparatus (SCBA) should be used for all indoor fires and any significant outdoor fires. Evacuate area and fight fire from safe distance or a protected location. Move fire-exposed containers, if allowable without sacrificing the safety of the firefighters. Firefighters should control run-off water to prevent environmental contamination.

Sensitivity to Static Discharge : Not sensitive.

Sensitivity to Mechanical Impact : Not sensitive.



6. Accidental Release Measures:

Protective Gear for Personnel:

For Small Spill : Safety glasses or chemical splash goggles, chemically resistant gloves (rubber/latex), chemically resistant boots, and any appropriate body protection to minimize direct contact to the skin.

For Large Spill : Triple gloves (rubber and nitrile over latex), chemical resistant suit, boots, hard hat, full face mask/an air purifying respirator (NIOSH approved). Self contained breathing apparatus must be worn in situations where fumigant gas generation and low oxygen levels are a consequence of contamination from the leak.

Spill Clean-up

Procedures:

For Small Spill : In the event of a small spill, the leak should be contained with an absorbent pad and placed in a properly labeled waste disposal container immediately. Do not let chemical/spill waste enter the environment.

For Large Spill : In the event of a large spill, contain the spill immediately and dispose according to state, federal, and local hazardous waste regulation. Do not let chemic/spill waste enter the environment.

Environmental Precaution:

Water spill : use appropriate containment to avoid run off or release to sewer or other waterways.

Land spill : use appropriate containment to avoid run off or release to ground.

General precaution : remove containers of strong acid and alkali from the release area.

Release Notes : If spill could potentially enter any waterway, including intermittent dry creeks, contact local authorities.

7. Handling and Storage:

Handling : Use appropriate personal protective equipment as specified in Section 8. Handle in a well-ventilated area. Handle in a manner consistent with good industrial/manufacturing techniques and practices. Keep away from sources of ignition. Wash hands thoroughly with soap and water after use. Remove contaminated clothing and protective equipment before entering eating areas.

Storage : Store in a cool, dry well-ventilated area. Keep containers closed when not in use. Keep product isolated from incompatible materials/conditions. Do not store with alkalis and oxidizing agents.

8. Exposure Controls and Personal Protection:

Engineering Controls: Use appropriate engineering controls to minimize exposure to vapors generated via routine use. Maintain adequate ventilation of workplace and storage areas. Eye wash facilities and emergency shower must be available when handling this product.

Personal Protective Equipment:

Eyes and face: Wear tightly-sealed safety glasses with side shields or goggles when handling this material.

Skin: Avoid direct contact with skin. Wear chemically resistant gloves, apron, boots or whole bodysuit when handling this product.

Respiratory: Avoid breathing vapor or mist. Use NIOSH approved respiratory protection equipment when air borne exposure is excessive. If used, full face-piece replaces the need for face shield and/or chemical goggles. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application.

Work Hygienic Practices : Facilities storing or using this material should be equipped with emergency eyewash, and a safety shower. Good personal hygiene practices should always be followed. Never eat, drink, or smoke in work areas.

Exposure Limits:

Substance:	CAS No.:	OSHA STEL	OSHA PEL	ACGIH TLV	ACGIH STEL
Poly (acrylic-co-AMPSA); Acrylic Polymer	40623-75-4	N/A	N/A	N/A	N/A

9. Chemical and Physical Properties:

Appearance	: Liquid	Decomposition Temp.	: >230°C
Odor	: Not available	Evaporation Rate	: Not available
Odor threshold	: Not available	Flammability	: Not applicable
Color	: Colorless to light yellow/amber	Upper Explosive Limit	: Not available
pH (1% Solution)	: 4.0 - 5.0	Vapor Pressure	: 3.2 kPa @ 25°C (Water)
Melting Point	: > -5°C	Vapor Density	: Not available
Freezing Point	: < -5°C	Specific Gravity	: 1.185 - 1.225
Boiling Point	: > 100°C	Solubility	: Soluble in water
Flash Point	: Not available	Partition Coefficient	: Not available
Viscosity	: 100 - 500 cps@25°C	Auto Ignition Temp.	: Not available

10. Stability and Reactivity:

Polymerization Stability: The product is stable under normal ambient conditions of temperature and pressure. Polymerization will not occur.

Hazardous

Decomposition Products: Thermal decomposition may yield acrylic monomers and hydrocarbons. Fire/burning of the product may yield toxic fumes of carbon oxides, sulfur oxides, nitrogen oxides, phosphorous oxides, and other hazardous compounds.

Incompatible Materials : Strong oxidizing agents may cause exothermic reaction.

Conditions to Avoid : Avoid exposure to extreme temperatures. Protect from freezing.

11. Toxicological Information:

Acute Toxicity Data:

Oral LD ₅₀	: >5000 mg/kg (RAT)
Dermal LD ₅₀	: >5000 mg/kg (Rabbit)
Inhalation LD ₅₀	: No data available

Corrosion/Irritation:

Skin	: No skin irritation (Rabbit)
Eyes	: Slight irritation (Rabbit)

Sensitization:

Respiratory	: No data available.
Skin	: No data available.

Carcinogenicity : No data available.

Mutagenicity : No data available.

Reproductive Effects : No data available.

Teratogenic Effects : No data available.

Routes of Exposure : Eyes, Skin, Inhalation, Ingestion

Long Term Exposure Health Effects:

Eyes	: Can cause severe irritation to the eyes. Prolonged exposure may damage eye tissue.
Skin	: May cause skin irritation and redness.
Inhalation	: May cause irritation of the respiratory tract.
Ingestion	: May lead to possible nausea or vomiting.

12. Ecological Information:

All work practices must be aimed at eliminating environmental contamination as it may be harmful to aquatic organisms.

Aquatic Toxicity (The following values are for chemically similar materials):

Fathead minnow: LC50 (96hr): No data available
Daphnia magna: EC50 (48hr): >1000 mg/L
Medina & Mysid Shrimp: LC50 (48hr): No data available
Rainbow Trout: LC50 (96hr): >1000 mg/L

Biodegradability : No data available.

Bioaccumulative Potential : No data available.

Terrestrial Ecotoxicity : This material may be harmful or fatal to contaminated plants or animals, especially if large volumes are released into the environments.

Aquatic Ecotoxicity : This product may be harmful or fatal to exposed aquatic life in low concentrations.

Mobility in Soil : No data available.

Other Adverse Effects : No data available.

13. Disposal Considerations:

Disposal Method : Dispose of waste at an appropriate waste disposal facility according to current applicable laws and regulations. This material should be fully characterized for toxicity and possible reactivity prior to disposal (40 CFR 261). Use which results in chemical or physical or combination may be subject to regulation as a hazardous waste.

For Large Spills : Contain material and call local authorities for emergency assistance.

Product Disposal : Dispose of at a supervised incineration facility or an appropriate waste disposal facility according to current applicable local, state and federal laws, regulations and product characteristics at time of disposal.

Empty Container : Container contents should be completely used and containers should be emptied prior to discard. Container rinsate could be considered RCRA hazardous waste and must be disposed of with care and in full compliance with federal, state, and local regulations.

14. Transport Information:

Regulatory Information	UN No.	Proper Shipping Name	UN Class	Packing Group	Labels
US DOT	None	Not Regulated	None		None
IMDG	None	Not Regulated	None		None
IATA	None	Not Regulated	None		None

15. Regulatory Information:

U.S. Federal Regulations:

TSCA: All components of this product are listed on the TSCA inventory.

CERCLA: Not listed

SARA TITLE III (EPCRA) Section 302/304: No components of this product were found to be on the hazardous chemicals list.

SARA TITLE III (EPCRA) Section 311/312: Acute health hazard.

16. Other Information:

HMIS and NFPA Rating Scale:

HMIS: Hazardous Materials Identification System

Numeric Scale for Health (Blue), Flammability (Red), and Physical Hazard (Yellow):

HMIS Rating:*

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B


RATING	HEALTH	FIRE HAZARD	PHYSICAL HAZARD
0	No significant risk to health	Will not burn	Product stable under ambient temperature and condition.
1	Can cause irritation or minor reversible injury.	Must be preheated to burn	Product can become unstable at high temperatures and pressures.
2	Can cause temporary or residual injury	Ignites when moderately heated	Product can become unstable and cause violent chemical reaction at normal pressures and temperatures
3	Can cause serious injury	Ignition occurs at normal temperature	Product capable of forming explosive mixtures and is capable of detonation in presence of strong initiating source.
4	Can be lethal from single or repeated exposure.	Extremely flammable	Product is highly explosive and unstable. Exothermic reactions possible with decomposition, polymerization, reaction with water or self reaction

Personal Protection Code B: Gloves + Safety Goggles

NFPA: National Fire Protection Association

Numeric Scale for Health (Blue), Fire Hazard (Red), and Reactivity (Yellow):

NFPA Rating:*



RATING	HEALTH	FIRE HAZARD	REACTIVITY
0	Minimal Hazard	Will not burn	Normally Stable
1	Can cause significant irritation	Must be preheated to burn	Unstable at high temperatures
2	Can cause temporary incapacitation or residual injury	Ignites when moderately heated	Normally unstable. Can readily go under violent chemical reaction but do not detonate.
3	Can cause permanent injury.	Ignition occurs at normal temperature	Capable of detonation, or of explosive reaction, but requires a strong ignition source.
4	Can be lethal.	Extremely flammable	May explode at normal temperatures and pressures

Revision Date: April 25, 2022

Reason for Revision: Updated logo and contact information. Formatting. Reviewed for accuracy.

The information contained in this SDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, they are not held responsible for loss, injury, and expense arising out of the product's use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS.